

## DS-D5019S0-1P0 18.5 inch Monitor




- 178° ultra-wide view screen.
- 3D noise reduction.
- Low blue light design for eye care.
- Dual interface of HDMI and VGA.
- Support VESA wall mount.

## ▪ Specification


Display	
Screen Size	18.5 inch
Active Display Area	409.8 (H) mm × 230.4 (V) mm
Resolution	1366 × 768
Backlight	E-LED
Pixel Pitch	0.300 mm (H) × 0.300 mm (V)
Brightness	200 cd/m <sup>2</sup>
Viewing Angle	178° (H)/178° (V)
Color Depth	8 bit, 16.7 M
Contrast Ratio	1000:1
Response Time	14 ms
Refresh Rate	Max. 75 Hz, Typ. 60 Hz
Haze	Haze 25%, 3H
Reliability	7 × 12 H
Color Gamut	72% NTSC
Interface	
Video & Audio Input	HDMI 1.4 × 1, VGA × 1
Power	
Power Supply	DC 12 V, 2.0 A
Power Consumption	≤ 24 W
Standby Consumption	≤ 0.5 W
Working Environment	
Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
Working Humidity	20% RH to 90% RH (Non-Condensing)
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Storage Humidity	10% RH to 90% RH (Non-Condensing)
General	
Casing Material	Plastic
VESA	75 mm × 75mm (4 - M4 × 6 mm)
Bezel Width	17.84mm (left/right), 18.39 mm (top), 26.39 mm (bottom)
Product Dimensions (W × H × D)	With base: 447.00 (W) mm × 351.04 (H) mm × 200.21 (D) mm (17.60" × 13.82" × 7.88") Without base: 447.00 (W) mm × 276.00 (H) mm × 46.00 (D) mm (17.60" × 10.87" × 1.81" )
Package Dimensions (W × H × D)	487 (W) mm × 363 (H) mm × 97 (D) mm
Net Weight	1.9 ± 0.5 kg ( 4.19 ± 1.1 lb)
Gross Weight	2.4 ± 0.5 kg (5.29 ± 1.1 lb)
Packing List	Monitor × 1, Base component × 1, Power adapter (12 V, 2.0 A) × 1, HDMI cable (1.5 m) × 1, User manual × 1, Multilingual manual × 1
Remarks	The base is included by default. The product appearance and parameters in this specification may vary from your actual device. Please consult our local sales staff for further information

▪ **Physical Interface**


Interface	Interface	Interface	Interface
HDMI	HDMI 1.4 digital signal input interface	VGA	VGA analog signal input interface
DC	DC 12 V 2.0 A input interface		



HDMI



VGA




DC

▪ **Available Model**

DS-D5019S0-1P0

▪ **Dimension**



- **Accessory**
- **Optional**

**DS-DM1940W**  
**Wall-mounted Bracket**

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision\_Global



Hikvision  
Corporate Channel



hikvisionhq